European Journal of Pharmacology – Molecular Pharmacology Section, 207 (1991) 369–371
© 1991 Elsevier Science Publishers B.V. 0922-4106/91/$03.50

Author index

Abdallah, E.-S.A.M., see Fernando, J.C.R. (207) 297
Ackerman, M., see Steffey, M.E. (207) 311
Adams, P., see Steffey, M.E. (207) 311
Agerberth, B., see Von Euler, G. (207) 365
Aulakh, C.S., see Lesch, K.P. (207) 355
Aulakh, C.S., see Lesch, K.P. (207) 361

Barrett, R.W., see Steffey, M.E. (207) 311
Ben-Zeev, A., see Newman, M.E. (207) 209
Bhatt, R., see Steffey, M.E. (207) 311
Bockaert, J., see Manzoni, O.J.J. (207) 231
Bogdal, Y., see Bottari, S.P. (207) 157
Bottari, S.P., Taylor, V., King, I.N., Bogdal, Y., Whitebread, S. and De Gasparo, M.
Angiotensin II AT_2 receptors do not interact with guanine nucleotide binding proteins (207) 157
Brammer, M.J., see Xiang, J.-Z. (207) 93
Bronner, C., see Mousli, M. (207) 249
Bueb, J.-L., see Mousli, M. (207) 249
Bunzow, J.R., see Civelli, O. (207) 277
Bureau, M.H. and Olsen, R.W.
Taurine acts on a subclass of $GABA_A$ receptors in mammalian brain in vitro (207) 9
Bylund, D.B., see Shreve, P.E. (207) 275

Campbell, I.C., see Xiang, J.-Z. (207) 93
Canonico, P.L., see Sortino, M.A. (207) 345
Cheung, C.L., see Tonnaer, J.A.D.M. (207) 183
Chilvers, E.R., see Offer, G.J. (207) 243
Christensen, H., Fykse, E.M. and Fonnum, F.
Inhibition of γ-aminobutyrate and glycine uptake into synaptic vesicles (207) 73
Christophe, J., see Delporte, C. (207) 81
Chuang, M., see Yang, S.-G. (207) 225
Ciaranello, R.D., see Roth, B.L. (207) 169
Civelli, O., Bunzow, J.R., Grandy, D.K., Zhou, Q.-Y. and Van Tol, H.H.M.
Molecular biology of the dopamine receptors (207) 277
Clementi, G., see Sortino, M.A. (207) 345
Cotman, C.W., see Pike, C.J. (207) 367
Cowburn, R., Young, D. and Luthman, J.
Enhanced adenylate cyclase activity in neonatally dopamine lesioned rats is related to increased G_s-protein coupling (207) 271
Cubero, A., see Martín, M. (207) 215
Czerwiec, E., see De Vos, H. (207) 1

Dauphin, F., Ting, V., Payette, P., Dennis, M. and Hamel, E.
Vasocontractile muscarinic M_1 receptors in cat cerebral arteries: pharmacological identification and detection of mRNA (207) 319
De Backer, J.-P., see De Vos, H. (207) 1
De Boer, T., see Florijn, W.J. (207) 43
De Boer, T., see Tonnaer, J.A.D.M. (207) 183
De Gasparo, M., see Bottari, S.P. (207) 157
Delacroix, M.-F., see Keravis, T.M. (207) 149
Delporte, C., Poloczek, P., Gossen, D., Tastenoy, M., Winand, J. and Christophe, J.
Characterization and regulation of atrial natriuretic peptide (ANP)-R_1 receptors in the human neuroblastoma cell line NB-OK-1 (207) 81
Den Hertog, A., see Manolopoulos, V.G. (207) 29
Dennis, M., see Dauphin, F. (207) 319
De Potter, W., see De Vos, H. (207) 1
De Vos, H., Czerwiec, E., De Backer, J.-P., De Potter, W. and Vauquelin, G.
[^{3}H]Rauwolscine behaves as an agonist for the 5-HT_{1A} receptors in human frontal cortex membranes (207) 1
Do, E., see Manzoni, O.J.J. (207) 231

Ebner, F. and Mermi, J.
The association with receptors regulates the Na^+,K^+-ATPase inhibitory potency of some cardioactive steroids (207) 61
El-Fakahany, E.E., see Fernando, J.C.R. (207) 297
Evinger, M., see Fernando, J.C.R. (207) 297

Fernando, J.C.R., Abdallah, E.-S.A.M., Evinger, M., Forray, C. and El-Fakahany, E.E.
The presence of an M_4 subtype muscarinic receptor in the bovine adrenal medulla revealed by mRNA and receptor binding analyses (207) 297
Ferré, S., see Von Euler, G. (207) 365
Ferreira, K.T.G., see Fonseca, P.D. (207) 337
Fink, J.S., see Steffey, M.E. (207) 311
Flatmark, T., see Terland, O. (207) 37
Florijn, W.J., De Boer, T., Tonnaer, J.A.D.M., Van Nispen, J.W. and Versteeg, D.H.G.
ACTH/MSH-like peptides inhibit the binding of dopaminergic ligands to the dopamine D_2 receptor in vitro (207) 43
Fonnum, F., see Christensen, H. (207) 73
Fonseca, P.D., Moura, T.F. and Ferreira, K.T.G.
The effect of trimethoprim on sodium transport across the frog skin epithelium (207) 337
Forray, C., see Fernando, J.C.R. (207) 297
French, J.F., Riera, L.C., Mullins, U.L. and Sarmiento, J.G.
Modulation of [^{3}H]glibenclamide binding to cardiac and insulinoma membranes (207) 23
Fuxe, K., see Von Euler, G. (207) 365
Fykse, E.M., see Christensen, H. (207) 73

Gies, J.-P., see Trifilieff, A. (207) 129
Glabe, C.G., see Pike, C.J. (207) 367
Glossmann, H., see Haase, H. (207) 51
Gomez, E., see Steffey, M.E. (207) 311
González-Calero, G., see Martín, M. (207) 215
Gossen, D., see Delporte, C. (207) 81
Grandy, D.K., see Civelli, O. (207) 277
Grønberg, M., see Terland, O. (207) 37

Haase, H., Striessnig, J., Holtzhauer, M., Vetter, R. and Glossmann, H.
A rapid procedure for the purification of cardiac 1,4-dihydropyridine receptors from porcine heart (207) 51
Haddad, E.-B., see Trifilieff, A. (207) 129
Hamel, E., see Dauphin, F. (207) 319
Hanauer, A., see Rogue, P. (207) 165

Hegemann, L., Van Rooijen, L.A.A., Traber, J. and Schmidt, B.H.
Polymyxin B is a selective and potent antagonist of calmodulin (207) 17
Hexum, T.D., see Li, W. (207) 89
Hiley, C.R., see Keravis, T.M. (207) 149
Hill, J.L., see Lesch, K.P. (207) 355
Hill, J.L., see Lesch, K.P. (207) 361
Hollenberg, M.D., see Yang, S.-G. (207) 225
Holtzhauer, M., see Haase, H. (207) 51
Hoss, W., see Periyasamy, S. (207) 101

Imaizumi, T., Watanabe, Y. and Yoshida, H.
Phosphorylation of G_i protein by cyclic AMP-dependent protein kinase inhibits its dissociation into α-subunits and $\beta\gamma$-subunits by Mg^{2+} and GTPγS (207) 189
Inoue, T., see Kaneko, S. (207) 119
Izawa, T., see Komabayashi, T. (207) 175
Izawa, T., see Komabayashi, T. (207) 329

Jakobs, K.H., see Liebmann, C. (207) 67
Johnson, B.G., see Schoepp, D.D. (207) 351

Kaneko, S., Sugimura, M., Inoue, T. and Satoh, M.
Effects of several cerebroprotective drugs on NMDA channel function: evaluation using *Xenopus* oocytes and [^{3}H]MK-801 binding (207) 119
Keen, M., Kelly, E. and MacDermot, J.
Guanine nucleotide sensitivity of [^{3}H]iloprost binding to prostacyclin receptors (207) 111
Kelly, E., see Keen, M. (207) 111
Keravis, T.M., Nehlig, H., Delacroix, M.-F., Regoli, D., Hiley, C.R. and Stoclet, J.-C.
High-affinity bradykinin B_2 binding sites sensitive to guanine nucleotides in bovine aortic endothelial cells (207) 149
Kiang, J.G.
Effect of intracellular pH on cytosolic free [Ca^{2+}] in human epidermoid A-431 cells (207) 287
King, I.N., see Bottari, S.P. (207) 157
Kinouchi, K. and Pasternak, G.W.
Evidence for κ_1 opioid receptor multiplicity in the guinea pig cerebellum (207) 135
Knaus, G.A., Knaus, H.-G. and Saria, A.
Complex allosteric interaction of heparin with neurokinin-1 receptors (207) 267
Knaus, H.-G., see Knaus, G.A. (207) 267
Komabayashi, T., Yakata, A., Izawa, T., Suda, K., Noguchi, M. and Tsuboi, M.
Substance P-induced diacylglycerol formation in rat parotid acinar cells (207) 329
Komabayashi, T., Yakata, A., Izawa, T., Suda, K., Rubin, R.P. and Tsuboi, M.
Protein kinase C-dependent diacylglycerol formation is mediated via Ca^{2+}/calmodulin in parotid cells (207) 175

Landry, Y., see Mousli, M. (207) 249
Landry, Y., see Trifilieff, A. (207) 129
Lerer, B., see Newman, M.E. (207) 209
Lesch, K.P., Aulakh, C.S., Tolliver, T.J., Hill, J.L. and Murphy, D.L.
Regulation of G proteins by chronic antidepressant drug treatment in rat brain: tricyclics but not clorgyline increase $G_{o\alpha}$ subunits (207) 361
Lesch, K.P., Aulakh, C.S., Tolliver, T.J., Hill, J.L., Wolozin, B.L. and Murphy, D.L.
Differential effects of long-term lithium and carbamazepine administration on $G_{s\alpha}$ and $G_{i\alpha}$ protein in rat brain (207) 355
Li, W., MacDonald, R.G. and Hexum, T.D.
Benextramine irreversibly inhibits [^{125}I]neuropeptide Y affinity labeling of the Y_2 binding protein in bovine hippocampus (207) 89
Liebmann, C., Schnittler, M., Nawrath, S. and Jakobs, K.H.
High-affinity bradykinin receptor-catalyzed G protein activation in rat myometrium (207) 67
Luthman, J., see Cowburn, R. (207) 271

MacDermot, J., see Keen, M. (207) 111
MacDonald, R.G., see Li, W. (207) 89
MacKenzie, R.G., see Steffey, M.E. (207) 311
Malviya, A.N., see Rogue, P. (207) 165
Manolopoulos, V.G., Pipili-Synetos, E., Den Hertog, A. and Nelemans, A.
Inositol phosphates formed in rat aorta after α_1-adrenoceptor stimulation are inhibited by forskolin (207) 29
Manzoni, O.J.J., Poulat, F., Do, E., Sahuquet, A., Sassetti, I., Bockaert, J. and Sladeczek, F.A.J.
Pharmacological characterization of the quisqualate receptor coupled to phospholipase C (Qp) in striatal neurons (207) 231
Martín, M., González-Calero, G. and Cubero, A.
Characterization of L-[^{3}H]glutamate binding sites in bovine brain coated vesicles (207) 215
Mermi, J., see Ebner, F. (207) 61
Monn, J.A., see Schoepp, D.D. (207) 351
Moura, T.F., see Fonseca, P.D. (207) 337
Mousli, M., Bronner, C., Bueb, J.-L. and Landry, Y.
Evidence for the interaction of mast cell-degranulating peptide with pertussis toxin-sensitive G proteins in mast cells (207) 249
Mullins, U.L., see French, J.F. (207) 23
Murphy, D.L., see Lesch, K.P. (207) 355
Murphy, D.L., see Lesch, K.P. (207) 361
Mutt, V., see Von Euler, G. (207) 365

Nahorski, S.R., see Offer, G.J. (207) 243
Nakamura, S., see Ohmi, K. (207) 305
Nawrath, S., see Liebmann, C. (207) 67
Nehlig, H., see Keravis, T.M. (207) 149
Nelemans, A., see Manolopoulos, V.G. (207) 29
Newman, M.E., Ben-Zeev, A. and Lerer, B.
Chloroamphetamine did not prevent the effects of chronic antidepressants on 5-hydroxytryptamine inhibition of forskolin-stimulated adenylate cyclase in rat hippocampus (207) 209
Noguchi, M., see Komabayashi, T. (207) 329

Offer, G.J., Chilvers, E.R. and Nahorski, S.R.
β-Adrenoceptor induced inhibition of muscarinic receptor-stimulated phosphoinositide metabolism is agonist specific in bovine tracheal smooth muscle (207) 243
Ohmi, K. and Nakamura, S.
Analysis of the interaction of reserpine with actin by the photoaffinity labelling method (207) 305
Olsen, R.W., see Bureau, M.H. (207) 9
Orsetti, M. and Sorba, G.
Characterization of an accessory binding area in the histamine H_2 receptor (207) 257
Orsetti, M. and Sorba, G.
Characterization of an accessory binding area in the histamine H_2 receptor (207) 259

Pasternak, G.W., see Kinouchi, K. (207) 135
Payette, P., see Dauphin, F. (207) 319
Periyasamy, S. and Hoss, W.
Inhibition of carbachol-stimulated phosphoinositide turnover by U-50,488H in rat hippocampus — involvement of GTP-binding protein (207) 101
Pike, C.J., Walencewicz, A.J., Glabe, C.G. and Cotman, C.W.
Aggregation-related toxicity of synthetic β-amyloid protein in hippocampal cultures (207) 367

Pipili-Synetos, E., see Manolopoulos, V.G. (207) 29
Poloczek, P., see Delporte, C. (207) 81
Poulat, F., see Manzoni, O.J.J. (207) 231
Powel, R.J., see Pullan, L.M. (207) 173
Pullan, L.M. and Powel, R.J.
Spermine reciprocally changes the affinity of NMDA receptor agonists and antagonists (207) 173

Regoli, D., see Keravis, T.M. (207) 149
Riera, L.C., see French, J.F. (207) 23
Rogue, P., Hanauer, A., Zwiller, J., Malviya, A.N. and Vincendon, G.
Up-regulation of dopamine D_2 receptor mRNA in rat striatum by chronic neuroleptic treatment (207) 165
Roth, B.L. and Ciaranello, R.D.
Chronic mianserin treatment decreases 5-HT_2 receptor binding without altering 5-HT_2 receptor mRNA levels (207) 169
Ruat, M., see Traiffort, E. (207) 143
Rubin, R.P., see Komabayashi, T. (207) 175

Sahuquet, A., see Manzoni, O.J.J. (207) 231
Saifeddine, M., see Yang, S.-G. (207) 225
Saria, A., see Knaus, G.A. (207) 267
Sarmiento, J.G., see French, J.F. (207) 23
Sassetti, I., see Manzoni, O.J.J. (207) 231
Satoh, M., see Kaneko, S. (207) 119
Schmidt, B.H., see Hegemann, L. (207) 17
Schnittler, M., see Liebmann, C. (207) 67
Schoepp, D.D., Johnson, B.G., True, R.A. and Monn, J.A.
Comparison of (1S,3R)-1-aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD)- and 1R,3S-ACPD-stimulated brain phosphoinositide hydrolysis (207) 351
Schofield, G.G.
Norepinephrine inhibits a Ca^{2+} current in rat sympathetic neurons via a G-protein (207) 195
Schwartz, J.-C., see Traiffort, E. (207) 143
Severson, D.L., see Yang, S.-G. (207) 225
Shreve, P.E., Toews, M.L. and Bylund, D.B.
α_{2A}- and α_{2C}-Adrenoceptor subtypes are differentially down-regulated by norepinephrine (207) 275
Sladeczek, F.A.J., see Manzoni, O.J.J. (207) 231
Snyder, G.L., see Steffey, M.E. (207) 311
Sorba, G., see Orsetti, M. (207) 257
Sorba, G., see Orsetti, M. (207) 259
Sortino, M.A., Canonico, P.L. and Clementi, G.
Bimodal action of [$Asu^{1,7}$]eel-calcitonin on phosphoinositide hydrolysis in cultured anterior pituitary cells (207) 345
Steffey, M.E., Snyder, G.L., Barrett, R.W., Fink, J.S., Ackerman, M., Adams, P., Bhatt, R., Gomez, E. and MacKenzie, R.G.
Dopamine D_1 receptor stimulation of cyclic AMP accumulation in COS-1 cells (207) 311
Stoclet, J.-C., see Keravis, T.M. (207) 149
Striessnig, J., see Haase, H. (207) 51
Suda, K., see Komabayashi, T. (207) 175
Suda, K., see Komabayashi, T. (207) 329
Sugimura, M., see Kaneko, S. (207) 119

Tastenoy, M., see Delporte, C. (207) 81
Taylor, V., see Bottari, S.P. (207) 157
Terland, O., Grønberg, M. and Flatmark, T.
The effect of calcium channel blockers on the H^+-ATPase and bioenergetics of catecholamine storage vesicles (207) 37
Ting, V., see Dauphin, F. (207) 319
Toews, M.L., see Shreve, P.E. (207) 275
Tolliver, T.J., see Lesch, K.P. (207) 355
Tolliver, T.J., see Lesch, K.P. (207) 361
Tonnaer, J.A.D.M., Cheung, C.L. and De Boer, T.
cGMP formation and phosphoinositide turnover in rat brain slices are mediated by pharmacologically distinct muscarinic acetylcholine receptors (207) 183
Tonnaer, J.A.D.M., see Florijn, W.J. (207) 43
Traber, J., see Hegemann, L. (207) 17
Traiffort, E., Ruat, M. and Schwartz, J.-C.
Interaction of mianserin, amitriptyline and haloperidol with guinea pig cerebral histamine H_2 receptors studied with [^{125}I]iodoaminopotentidine (207) 143
Trifilieff, A., Haddad, E.-B., Landry, Y. and Gies, J.-P.
Evidence for two high-affinity bradykinin binding sites in the guinea-pig lung (207) 129
True, R.A., see Schoepp, D.D. (207) 351
Tsuboi, M., see Komabayashi, T. (207) 175
Tsuboi, M., see Komabayashi, T. (207) 329

Van Nispen, J.W., see Florijn, W.J. (207) 43
Van Rooijen, L.A.A., see Hegemann, L. (207) 17
Van Tol, H.H.M., see Civelli, O. (207) 277
Vauquelin, G., see De Vos, H. (207) 1
Versteeg, D.H.G., see Florijn, W.J. (207) 43
Vetter, R., see Haase, H. (207) 51
Vincendon, G., see Rogue, P. (207) 165
Von Euler, G., Ferré, S., Von Euler, M., Agerberth, B., Mutt, V. and Fuxe, K.
A trypsin inhibitor-like peptide PEC-60 reduces the affinity of dopamine D_2 agonist binding sites in rat neostriatal membranes (207) 365
Von Euler, M., see Von Euler, G. (207) 365

Walencewicz, A.J., see Pike, C.J. (207) 367
Watanabe, Y., see Imaizumi, T. (207) 189
Whitebread, S., see Bottari, S.P. (207) 157
Winand, J., see Delporte, C. (207) 81
Wolozin, B.L., see Lesch, K.P. (207) 355

Xiang, J.-Z., Brammer, M.J. and Campbell, I.C.
Quisqualate and carbachol-induced increases in intrasynaptosomal free calcium are mediated by different products of phospholipid hydrolysis (207) 93

Yakata, A., see Komabayashi, T. (207) 175
Yakata, A., see Komabayashi, T. (207) 329
Yang, S.-G., Saifeddine, M., Chuang, M., Severson, D.L. and Hollenberg, M.D.
Diacylglycerol lipase and the contractile action of epidermal growth factor-urogastrone: evidence for distinct signal pathways in a single strip of gastric smooth muscle (207) 225
Yoshida, H., see Imaizumi, T. (207) 189
Young, D., see Cowburn, R. (207) 271

Zhou, Q.-Y., see Civelli, O. (207) 277
Zwiller, J., see Rogue, P. (207) 165

European Journal of Pharmacology – Molecular Pharmacology Section, 207 (1991) 373–380
© 1991 Elsevier Science Publishers B.V. 0922-4106/91/$03.50

Key word index

ACTH-(1-24)
Dopamine D_2 receptors; [^{3}H]N-propylnorapomorphine binding; [^{3}H]Spiperone binding; Striatum; Septum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

Actin
Reserpine; Photoaffinity labelling (Ohmi, K. (207) 305)

Adenylate cyclase
Antidepressants; Lithium chloride; 5-HT (5-hydroxytryptamine, serotonin); Synapse; Hippocampus; (Rat) (Newman, M.E. (207) 209)

Dopamine D_1 receptors; G-proteins; Cyclic adenosine 3′,5′-monophosphate; Neonatal dopamine lesion (Cowburn, R. (207) 271)

ADP-ribosylation
GTP-binding protein (inhibitory); G_i protein; Pertussis toxin; Phosphorylation; Cyclic AMP-dependent protein kinase (Imaizumi, T. (207) 189)

Adrenal medulla
Muscarinic receptors; mRNA; (Bovine); (Rat) (Fernando, J.C.R. (207) 297)

Adrenal medulla (bovine)
Catecholamines; Ca^{2+} channel blockers; Chromaffin granules; H^+-ATPase (Terland, O. (207) 37)

Adrenals
Angiotensin receptors; Guanine nucleotide binding proteins; Uterus (human); Cerebellum (bovine); Smooth muscle (vascular, human) (Bottari, S.P. (207) 157)

α_1-Adrenoceptors
Forskolin; Inositol phosphate; Phosphatidylinositol bisphosphate; cAMP; Aorta; (Rat) (Manolopoulos, V.G. (207) 29)

α_2-Adrenoceptors
5-HT_{1A} receptors; Frontal cortex (human); Radioligand binding; [^{3}H]Rauwolscine (De Vos, H. (207) 1)

AF-DX 116
cGMP; Phosphoinositides; Brain; Pirenzepine; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Affinity labeling
Neuropeptide Y (NPY); Benextramine; Y_2 binding protein; Hippocampus (bovine) (Li, W. (207) 89)

Amiloride
pH_i; Ca^{2+}; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Cyclic AMP; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA)
pH_i; Ca^{2+}; Ca^{2+} channels; Epithelia; Cyclic AMP; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

[^{125}I]Aminopotentidine
H_2 receptor binding; Psychotropic drugs (Traiffort, E. (207) 143)

cAMP
α_1-Adrenoceptors; Forskolin; Inositol phosphate; Phosphatidylinositol bisphosphate; Aorta; (Rat) (Manolopoulos, V.G. (207) 29)

Angiotensin receptors
Guanine nucleotide binding proteins; Adrenals; Uterus (human); Cerebellum (bovine); Smooth muscle (vascular, human) (Bottari, S.P. (207) 157)

ANP-R_1 receptors
Guanylate cyclase; Neuroblastoma cell line NB-OK-1; (Human) (Delporte, C. (207) 81)

Antidepressants
Lithium chloride; 5-HT (5-hydroxytryptamine, serotonin); Adenylate cyclase; Synapse; Hippocampus; (Rat) (Newman, M.E. (207) 209)

Aorta
α_1-Adrenoceptors; Forskolin; Inositol phosphate; Phosphatidylinositol bisphosphate; cAMP; (Rat) (Manolopoulos, V.G. (207) 29)

Arecaidine-propargyl ester
cGMP; Phosphoinositides; Brain; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86 (Tonnaer, J.A.D.M. (207) 183)

Association rate constant
Cardioactive steroids; Na^+,K^+-ATPase inhibition; Dissociation rate constant; Hydrophobicity (Ebner, F. (207) 61)

H^+-ATPase
Catecholamines; Ca^{2+} channel blockers; Chromaffin granules; Adrenal medulla (bovine) (Terland, O. (207) 37)

ATP-modulated K^+ channel
Glibenclamide binding site; Glyburide; Sulfonylurea; Guanine nucleotide; Cardiac; Insulinoma (French, J.F. (207) 23)

Autoradiography
$GABA_A$ receptor subtypes; Photoaffinity labeling; Radioligand binding (Bureau, M.H. (207) 9)

Benextramine
Neuropeptide Y (NPY); Y_2 binding protein; Affinity labeling; Hippocampus (bovine) (Li, W. (207) 89)

Bifemelane
Indeloxazine; Vinpocetine; NMDA receptor; Oocytes (*Xenopus*); mRNA (brain); MK-801 binding (Kaneko, S. (207) 119)

Binding site (accessory)
Histamine H_2 receptor; Histamine H_2 receptor antagonists (Orsetti, M. (207) 259)

Bradykinin
Bradykinin binding sites; Endothelial cells; Guanine nucleotides (Keravis, T.M. (207) 149)

Bradykinin binding sites
Bradykinin; Endothelial cells; Guanine nucleotides (Keravis, T.M. (207) 149)

Bradykinin receptor
G protein; GTP[S] binding; Signal amplification; Myometrium; (Rat) (Liebmann, C. (207) 67)

Bradykinin B_2 receptor
Lung; (Guinea-pig) (Trifilieff, A. (207) 129)

Brain
cGMP; Phosphoinositides; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Ca^{2+}
pH_i; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Cyclic AMP; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

Ca^{2+}-calmodulin complex
Parotid acinar cells; Carbachol; Diacylglycerol formation; Protein kinase C-dependent mechanism (Komabayashi, T. (207) 175)

Ca^{2+} channel
Cardiac tissue; Purification; Dihydropyridine (Haase, H. (207) 51)

Ca^{2+} channel blockers
Catecholamines; Chromaffin granules; H^+-ATPase; Adrenal medulla (bovine) (Terland, O. (207) 37)

Ca^{2+} channels
pH_i; Ca^{2+}; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Cyclic AMP; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

L-type Ca^{2+} channels
Intrasynaptosomal free Ca^{2+}; Quisqualate; Carbachol; IP_3-sensitive Ca^{2+} stores (Xiang, J.-Z. (207) 93)

Ca^{2+} current
Norepinephrine; G-protein; Guanine nucleotide (Schofield, G.G. (207) 195)

Calmodulin antagonism
Polymyxin B; Cyclic nucleotide phosphodiesterase; Protein kinase C, in vitro (Hegemann, L. (207) 17)

Carbachol
Intrasynaptosomal free Ca^{2+}; Quisqualate; IP_3-sensitive Ca^{2+} stores; L-type Ca^{2+} channels (Xiang, J.-Z. (207) 93)

U-50,488H; PI turnover; G-protein; [^{3}H]QNB binding; Hippocampus (Periyasamy, S. (207) 101)

Parotid acinar cells; Diacylglycerol formation; Protein kinase C-dependent mechanism; Ca^{2+}-calmodulin complex (Komabayashi, T. (207) 175)

cGMP; Phosphoinositides; Brain; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Carbamazepine
G proteins; Enzyme-linked immunosorbent assay (ELISA); Lithium (Lesch, K.P. (207) 355)

Cardiac
Glibenclamide binding site; Glyburide; Sulfonylurea; Guanine nucleotide; Insulinoma; ATP-modulated K^+ channel (French, J.F. (207) 23)

Cardiac tissue
Ca^{2+} channel; Purification; Dihydropyridine (Haase, H. (207) 51)

Cardioactive steroids
Na^+,K^+-ATPase inhibition; Association rate constant; Dissociation rate constant; Hydrophobicity (Ebner, F. (207) 61)

Catecholamines
Ca^{2+} channel blockers; Chromaffin granules; H^+-ATPase; Adrenal medulla (bovine) (Terland, O. (207) 37)

Cerebellum (bovine)
Angiotensin receptors; Guanine nucleotide binding proteins; Adrenals; Uterus (human); Smooth muscle (vascular, human) (Bottari, S.P. (207) 157)

Cerebral blood vessels (cat)
Muscarinic receptor subtypes; Muscarinic receptor antagonists; Muscarinic M_1 receptor; Vasoconstriction (Dauphin, F. (207) 319)

Chromaffin granules
Catecholamines; Ca^{2+} channel blockers; H^+-ATPase; Adrenal medulla (bovine) (Terland, O. (207) 37)

Cloning
Dopamine receptors; Dopamine D_1 receptor; Dopamine D_2 receptor; Dopamine D_3 receptor; Dopamine D_4 receptor; Molecular biology; (Novel receptors) (Civelli, O. (207) 277)

Clorgyline
G proteins; Enzyme-linked immunosorbent assay; Tricyclic antidepressants (Lesch, K.P. (207) 361)

Coated vesicles
Glutamate receptors; Guanine nucleotide regulatory protein; Quisqualate; Metabotropic receptors (Martín, M. (207) 215)

COS-1 cell
Cyclic AMP; Dopamine D_1 receptor; Desensitization; Dopamine- and cAMP-regulated phosphoprotein (DARPP) (Steffey, M.E. (207) 311)

Cyclic adenosine 3′,5′-monophosphate
Dopamine D_1 receptors; G-proteins; Adenylate cyclase; Neonatal dopamine lesion (Cowburn, R. (207) 271)

Cyclic AMP
pH_i; Ca^{2+}; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

Dopamine D_1 receptor; COS-1 cell; Desensitization; Dopamine- and cAMP-regulated phosphoprotein (DARPP) (Steffey, M.E. (207) 311)

Cyclic AMP-dependent protein kinase
GTP-binding protein (inhibitory); G_i protein; Pertussis toxin; ADP-ribosylation; Phosphorylation (Imaizumi, T. (207) 189)

Cyclic nucleotide phosphodiesterase
Polymyxin B; Calmodulin antagonism; Protein kinase C, in vitro (Hegemann, L. (207) 17)

Desensitization
Cyclic AMP; Dopamine D_1 receptor; COS-1 cell; Dopamine- and cAMP-regulated phosphoprotein (DARPP) (Steffey, M.E. (207) 311)

Diacylglycerol formation
Parotid acinar cells; Carbachol; Protein kinase C-dependent mechanism; Ca^{2+}-calmodulin complex (Komabayashi, T. (207) 175)

Parotid acinar cells; Substance P; Phosphatidylinositide hydrolysis; Phosphatidylcholine hydrolysis (Komabayashi, T. (207) 329)

Dihydropyridine
Ca^{2+} channel; Cardiac tissue; Purification (Haase, H. (207) 51)

4-Diphenylacetoxy-N-methyl piperidine methiodide
cGMP; Phosphoinositides; Brain; Pirenzepine; AF-DX 116; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Dissociation rate constant
Cardioactive steroids; Na^+,K^+-ATPase inhibition; Association rate constant; Hydrophobicity (Ebner, F. (207) 61)

Dopamine- and cAMP-regulated phosphoprotein (DARPP)
Cyclic AMP; Dopamine D_1 receptor; COS-1 cell; Desensitization (Steffey, M.E. (207) 311)

Dopamine D_1 receptor
Dopamine receptors; Dopamine D_2 receptor; Dopamine D_3 receptor; Dopamine D_4 receptor; Molecular biology; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Cyclic AMP; COS-1 cell; Desensitization; Dopamine- and cAMP-regulated phosphoprotein (DARPP) (Steffey, M.E. (207) 311)

Dopamine D_2 receptor
Dopamine receptors; Dopamine D_1 receptor; Dopamine D_3 receptor; Dopamine D_4 receptor; Molecular biology; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Dopamine D_3 receptor
Dopamine receptors; Dopamine D_1 receptor; Dopamine D_2 receptor; Dopamine D_4 receptor; Molecular biology; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Dopamine D_4 receptor
Dopamine receptors; Dopamine D_1 receptor; Dopamine D_2 receptor; Dopamine D_3 receptor; Molecular biology; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Dopamine D_2 receptor mRNA
Receptor up-regulation; Neuroleptics; (Rat) (Rogue, P. (207) 165)

Dopamine receptors
Dopamine D_1 receptor; Dopamine D_2 receptor; Dopamine D_3 receptor; Dopamine D_4 receptor; Molecular biology; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Dopamine D_1 receptors
G-proteins; Cyclic adenosine 3′,5′-monophosphate; Adenylate cyclase; Neonatal dopamine lesion (Cowburn, R. (207) 271)

Dopamine D_2 receptors
ACTH-(1-24); [^{3}H]N-propylnorapomorphine binding; [^{3}H]Spiperone binding; Striatum; Septum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

[Asu^{1,7}]Eel-calcitonin
Phosphoinositides; Pituitary; Thyrotropin releasing hormone (Sortino, M.A. (207) 345)

Endothelial cells
Bradykinin; Bradykinin binding sites; Guanine nucleotides (Keravis, T.M. (207) 149)

Enkephalin
Opiate receptor; U69,593; Ethylketocyclazocine; κ Receptor (Kinouchi, K. (207) 135)

Enzyme-linked immunosorbent assay (ELISA)
G proteins; Lithium; Carbamazepine (Lesch, K.P. (207) 355)

G proteins; Tricyclic antidepressants; Clorgyline (Lesch, K.P. (207) 361)

Epidermal growth factor-urogastrone
U57,908; Transforming growth factor-α; Gastric longitudinal muscle (guinea pig); Gastric circular muscle (guinea pig) (Yang, S.-G. (207) 225)

Epithelia
pH_i; Ca^{2+}; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Cyclic AMP; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

Ethylketocyclazocine
Opiate receptor; U69,593; κ Receptor; Enkephalin (Kinouchi, K. (207) 135)

Excitatory amino acid receptors
Phosphoinositide hydrolysis; Glutamate; (1S,3R)-1-Aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD); (1R,3S)-1-Aminocyclopentane-1,3-dicarboxylic acid (1R,3S-ACPD) (Schoepp, D.D. (207) 351)

Forskolin
α_1-Adrenoceptors; Inositol phosphate; Phosphatidylinositol bisphosphate; cAMP; Aorta; (Rat) (Manolopoulos, V.G. (207) 29)

Frog skin
Sodium permeability; Trimethoprim (Fonseca, P.D. (207) 337)

Frontal cortex (human)
5-HT_{1A} receptors; α_2-Adrenoceptors; Radioligand binding; [^{3}H]Rauwolscine (De Vos, H. (207) 1)

Fura-2 measurements
Glutamate; Inositol phosphate formation; Striatal neurons (mouse) (Manzoni, O.J.J. (207) 231)

GABA
Synaptic vesicles; Glycine; Vesicular uptake (Christensen, H. (207) 73)

$GABA_A$ receptor subtypes
Photoaffinity labeling; Autoradiography; Radioligand binding (Bureau, M.H. (207) 9)

Gastric circular muscle (guinea pig)
Epidermal growth factor-urogastrone; U57,908; Transforming growth factor-α; Gastric longitudinal muscle (guinea pig) (Yang, S.-G. (207) 225)

Gastric longitudinal muscle (guinea pig)
Epidermal growth factor-urogastrone; U57,908; Transforming growth factor-α; Gastric circular muscle (guinea pig) (Yang, S.-G. (207) 225)

Gene expression
5-HT_2 receptor; mRNA (Roth, B.L. (207) 169)

Glibenclamide binding site
Glyburide; Sulfonylurea; Guanine nucleotide; Cardiac; Insulinoma; ATP-modulated K^+ channel (French, J.F. (207) 23)

Glutamate
Inositol phosphate formation; Fura-2 measurements; Striatal neurons (mouse) (Manzoni, O.J.J. (207) 231)

Phosphoinositide hydrolysis; Excitatory amino acid receptors; (1S,3R)-1-Aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD); (1R,3S)-1-Aminocyclopentane-1,3-dicarboxylic acid (1R,3S-ACPD) (Schoepp, D.D. (207) 351)

Glutamate receptors
Coated vesicles; Guanine nucleotide regulatory protein; Quisqualate; Metabotropic receptors (Martín, M. (207) 215)

Glyburide
Glibenclamide binding site; Sulfonylurea; Guanine nucleotide; Cardiac; Insulinoma; ATP-modulated K^+ channel (French, J.F. (207) 23)

Glycine
Synaptic vesicles; GABA; Vesicular uptake (Christensen, H. (207) 73)

cGMP
Phosphoinositides; Brain; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

G protein
Bradykinin receptor; GTP[S] binding; Signal amplification; Myometrium; (Rat) (Liebmann, C. (207) 67)

G-protein
U-50,488H; PI turnover; Carbachol; [^{3}H]QNB binding; Hippocampus (Periyasamy, S. (207) 101)

Norepinephrine; Ca^{2+} current; Guanine nucleotide (Schofield, G.G. (207) 195)

G_i protein
GTP-binding protein (inhibitory); Pertussis toxin; ADP-ribosylation; Phosphorylation; Cyclic AMP-dependent protein kinase (Imaizumi, T. (207) 189)

G proteins
Mast cells (peritoneal); Mast cell degranulating peptide (MCD, peptide 401); Histamine; Membrane potential; (Rat) (Mousli, M. (207) 249)

Enzyme-linked immunosorbent assay (ELISA); Lithium; Carbamazepine (Lesch, K.P. (207) 355)

Enzyme-linked immunosorbent assay; Tricyclic antidepressants; Clorgyline (Lesch, K.P. (207) 361)

G-proteins
Dopamine D_1 receptors; Cyclic adenosine 3′,5′-monophosphate; Adenylate cyclase; Neonatal dopamine lesion (Cowburn, R. (207) 271)

G_s proteins
[^{3}H]Iloprost; Prostacyclin receptors (IP receptors); Guanine nucleotide effect (Keen, M. (207) 111)

GTP-binding protein (inhibitory)
G_i protein; Pertussis toxin; ADP-ribosylation; Phosphorylation; Cyclic AMP-dependent protein kinase (Imaizumi, T. (207) 189)

GTP[S] binding
Bradykinin receptor; G protein; Signal amplification; Myometrium; (Rat) (Liebmann, C. (207) 67)

Guanine nucleotide
Glibenclamide binding site; Glyburide; Sulfonylurea; Cardiac; Insulinoma; ATP-modulated K^+ channel (French, J.F. (207) 23)

Norepinephrine; Ca^{2+} current; G-protein (Schofield, G.G. (207) 195)

Guanine nucleotide binding proteins
Angiotensin receptors; Adrenals; Uterus (human); Cerebellum (bovine); Smooth muscle (vascular, human) (Bottari, S.P. (207) 157)

Guanine nucleotide effect
[^{3}H]Iloprost; Prostacyclin receptors (IP receptors); G_s proteins (Keen, M. (207) 111)

Guanine nucleotide regulatory protein
Coated vesicles; Glutamate receptors; Quisqualate; Metabotropic receptors (Martín, M. (207) 215)

Guanine nucleotides
Bradykinin; Bradykinin binding sites; Endothelial cells (Keravis, T.M. (207) 149)

Guanylate cyclase
ANP-R_1 receptors; Neuroblastoma cell line NB-OK-1; (Human) (Delporte, C. (207) 81)

Heparin (binding studies)
Substance P; Tachykinin; NK_1 receptors (Knaus, G.A. (207) 267)

Hippocampus
U-50,488H; PI turnover; Carbachol; G-protein; [^{3}H]QNB binding (Periyasamy, S. (207) 101)

Antidepressants; Lithium chloride; 5-HT (5-hydroxytryptamine, serotonin); Adenylate cyclase; Synapse; (Rat) (Newman, M.E. (207) 209)

Hippocampus (bovine)
Neuropeptide Y (NPY); Benextramine; Y_2 binding protein; Affinity labeling (Li, W. (207) 89)

Histamine
Mast cells (peritoneal); G proteins; Mast cell degranulating peptide (MCD, peptide 401); Membrane potential; (Rat) (Mousli, M. (207) 249)

Histamine H_2 receptor
Histamine H_2 receptor antagonists; Binding site (accessory) (Orsetti, M. (207) 259)

Histamine H_2 receptor antagonists
Histamine H_2 receptor; Binding site (accessory) (Orsetti, M. (207) 259)

H_2 receptor binding
Psychotropic drugs; [^{125}I]Aminopotentidine (Traiffort, E. (207) 143)

5-HT (5-hydroxytryptamine, serotonin)
Antidepressants; Lithium chloride; Adenylate cyclase; Synapse; Hippocampus; (Rat) (Newman, M.E. (207) 209)

5-HT_2 receptor
mRNA; Gene expression (Roth, B.L. (207) 169)

5-HT_{1A} receptors
α_2-Adrenoceptors; Frontal cortex (human); Radioligand binding; [^{3}H]Rauwolscine (De Vos, H. (207) 1)

Hydrophobicity
Cardioactive steroids; Na^+,K^+-ATPase inhibition; Association rate constant; Dissociation rate constant (Ebner, F. (207) 61)

[^{3}H]Iloprost
Prostacyclin receptors (IP receptors); Guanine nucleotide effect; G_s proteins (Keen, M. (207) 111)

Indeloxazine
Bifemelane; Vinpocetine; NMDA receptor; Oocytes (*Xenopus*); mRNA (brain); MK-801 binding (Kaneko, S. (207) 119)

Inositol phosphate
α_1-Adrenoceptors; Forskolin; Phosphatidylinositol bisphosphate; cAMP; Aorta; (Rat) (Manolopoulos, V.G. (207) 29)

Inositol phosphate formation
Glutamate; Fura-2 measurements; Striatal neurons (mouse) (Manzoni, O.J.J. (207) 231)

Insulinoma
Glibenclamide binding site; Glyburide; Sulfonylurea; Guanine nucleotide; Cardiac; ATP-modulated K^+ channel (French, J.F. (207) 23)

Intrasynaptosomal free Ca^{2+}
Quisqualate; Carbachol; IP_3-sensitive Ca^{2+} stores; L-type Ca^{2+} channels (Xiang, J.-Z. (207) 93)

IP_3-sensitive Ca^{2+} stores
Intrasynaptosomal free Ca^{2+}; Quisqualate; Carbachol; L-type Ca^{2+} channels (Xiang, J.-Z. (207) 93)

Lithium
G proteins; Enzyme-linked immunosorbent assay (ELISA); Carbamazepine (Lesch, K.P. (207) 355)

Lithium chloride
Antidepressants; 5-HT (5-hydroxytryptamine, serotonin); Adenylate cyclase; Synapse; Hippocampus; (Rat) (Newman, M.E. (207) 209)

Lung
Bradykinin B_2 receptor; (Guinea-pig) (Trifilieff, A. (207) 129)

Mast cell degranulating peptide (MCD, peptide 401)
Mast cells (peritoneal); G proteins; Histamine; Membrane potential; (Rat) (Mousli, M. (207) 249)

Mast cells (peritoneal)
G proteins; Mast cell degranulating peptide (MCD, peptide 401); Histamine; Membrane potential; (Rat) (Mousli, M. (207) 249)

Membrane potential
Mast cells (peritoneal); G proteins; Mast cell degranulating peptide (MCD, peptide 401); Histamine; (Rat) (Mousli, M. (207) 249)

Metabotropic receptors
Coated vesicles; Glutamate receptors; Guanine nucleotide regulatory protein; Quisqualate (Martín, M. (207) 215)

MK-801 binding
Bifemelane; Indeloxazine; Vinpocetine; NMDA receptor; Oocytes (*Xenopus*); mRNA (brain) (Kaneko, S. (207) 119)

Molecular biology
Dopamine receptors; Dopamine D_1 receptor; Dopamine D_2 receptor; Dopamine D_3 receptor; Dopamine D_4 receptor; Cloning; (Novel receptors) (Civelli, O. (207) 277)

Muscarinic M_1 receptor
Muscarinic receptor subtypes; Muscarinic receptor antagonists; Cerebral blood vessels (cat); Vasoconstriction (Dauphin, F. (207) 319)

Muscarinic receptor antagonists
Muscarinic receptor subtypes; Muscarinic M_1 receptor; Cerebral blood vessels (cat); Vasoconstriction (Dauphin, F. (207) 319)

Muscarinic receptors
Smooth muscle (airway); Phosphoinositide metabolism (Offer, G.J. (207) 243)

Adrenal medulla; mRNA; (Bovine); (Rat) (Fernando, J.C.R. (207) 297)

Muscarinic receptor subtypes
Muscarinic receptor antagonists; Muscarinic M_1 receptor; Cerebral blood vessels (cat); Vasoconstriction (Dauphin, F. (207) 319)

Myometrium
Bradykinin receptor; G protein; GTP[S] binding; Signal amplification; (Rat) (Liebmann, C. (207) 67)

Na^+/Ca^{2+} exchanger
pH_i; Ca^{2+}; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Cyclic AMP; Amiloride (Kiang, J.G. (207) 287)

Na^+,K^+-ATPase inhibition
Cardioactive steroids; Association rate constant; Dissociation rate constant; Hydrophobicity (Ebner, F. (207) 61)

Neonatal dopamine lesion
Dopamine D_1 receptors; G-proteins; Cyclic adenosine 3′,5′-monophosphate; Adenylate cyclase (Cowburn, R. (207) 271)

Neuroblastoma cell line NB-OK-1
ANP-R_1 receptors; Guanylate cyclase; (Human) (Delporte, C. (207) 81)

Neuroleptics
Dopamine D_2 receptor mRNA; Receptor up-regulation; (Rat) (Rogue, P. (207) 165)

Neuropeptide Y (NPY)
Benextramine; Y_2 binding protein; Affinity labeling; Hippocampus (bovine) (Li, W. (207) 89)

NK_1 receptors
Substance P; Heparin (binding studies); Tachykinin (Knaus, G.A. (207) 267)

NMDA receptor
Bifemelane; Indeloxazine; Vinpocetine; Oocytes (*Xenopus*); mRNA (brain); MK-801 binding (Kaneko, S. (207) 119)

Norepinephrine
Ca^{2+} current; G-protein; Guanine nucleotide (Schofield, G.G. (207) 195)

[^{3}H]N-propylnorapomorphine binding
Dopamine D_2 receptors; ACTH-(1-24); [^{3}H]Spiperone binding; Striatum; Septum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

Oocytes (*Xenopus*)
Bifemelane; Indeloxazine; Vinpocetine; NMDA receptor; mRNA (brain); MK-801 binding (Kaneko, S. (207) 119)

Opiate receptor
U69,593; Ethylketocyclazocine; κ Receptor; Enkephalin (Kinouchi, K. (207) 135)

Parotid acinar cells
Carbachol; Diacylglycerol formation; Protein kinase C-dependent mechanism; Ca^{2+}-calmodulin complex (Komabayashi, T. (207) 175)

Substance P; Diacylglycerol formation; Phosphatidylinositide hydrolysis; Phosphatidylcholine hydrolysis (Komabayashi, T. (207) 329)

Pertussis toxin
GTP-binding protein (inhibitory); G_i protein; ADP-ribosylation; Phosphorylation; Cyclic AMP-dependent protein kinase (Imaizumi, T. (207) 189)

pH_i
Ca^{2+}; Ca^{2+} channels; 1,2-bis(o-Aminophenoxy)ethane-N,N,N′,N′-tetraacetic acid (BAPTA); Epithelia; Cyclic AMP; Amiloride; Na^+/Ca^{2+} exchanger (Kiang, J.G. (207) 287)

Phosphatidylcholine hydrolysis
Parotid acinar cells; Substance P; Diacylglycerol formation; Phosphatidylinositide hydrolysis (Komabayashi, T. (207) 329)

Phosphatidylinositide hydrolysis
Parotid acinar cells; Substance P; Diacylglycerol formation; Phosphatidylcholine hydrolysis (Komabayashi, T. (207) 329)

Phosphatidylinositol bisphosphate
α_1-Adrenoceptors; Forskolin; Inositol phosphate; cAMP; Aorta; (Rat) (Manolopoulos, V.G. (207) 29)

Phosphoinositide hydrolysis
Excitatory amino acid receptors; Glutamate; (1S,3R)-1-Aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD); (1R,3S)-1-Aminocyclopentane-1,3-dicarboxylic acid (1R,3S-ACPD) (Schoepp, D.D. (207) 351)

Phosphoinositide metabolism
Muscarinic receptors; Smooth muscle (airway) (Offer, G.J. (207) 243)

Phosphoinositides
cGMP; Brain; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

[Asu^{1,7}]Eel-calcitonin; Pituitary; Thyrotropin releasing hormone (Sortino, M.A. (207) 345)

Phosphorylation
GTP-binding protein (inhibitory); G_i protein; Pertussis toxin; ADP-ribosylation; Cyclic AMP-dependent protein kinase (Imaizumi, T. (207) 189)

Photoaffinity labeling
$GABA_A$ receptor subtypes; Autoradiography; Radioligand binding (Bureau, M.H. (207) 9)

Photoaffinity labelling
Actin; Reserpine (Ohmi, K. (207) 305)

Pirenzepine
cGMP; Phosphoinositides; Brain; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; RS86; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Pituitary
[Asu^{1,7}]Eel-calcitonin; Phosphoinositides; Thyrotropin releasing hormone (Sortino, M.A. (207) 345)

Pituitary gland
Dopamine D_2 receptors; ACTH-(1-24); [^{3}H]N-propylnorapomorphine binding; [^{3}H]Spiperone binding; Striatum; Septum; (Rats) (Florijn, W.J. (207) 43)

PI turnover
U-50,488H; Carbachol; G-protein; [^{3}H]QNB binding; Hippocampus (Periyasamy, S. (207) 101)

Polymyxin B
Calmodulin antagonism; Cyclic nucleotide phosphodiesterase; Protein kinase C, in vitro (Hegemann, L. (207) 17)

Prostacyclin receptors (IP receptors)
[^{3}H]Iloprost; Guanine nucleotide effect; G_s proteins (Keen, M. (207) 111)

Protein kinase C-dependent mechanism
Parotid acinar cells; Carbachol; Diacylglycerol formation; Ca^{2+}-calmodulin complex (Komabayashi, T. (207) 175)

Protein kinase C, in vitro
Polymyxin B; Calmodulin antagonism; Cyclic nucleotide phosphodiesterase (Hegemann, L. (207) 17)

Psychotropic drugs
H_2 receptor binding; [^{125}I]Aminopotentidine (Traiffort, E. (207) 143)

Purification
Ca^{2+} channel; Cardiac tissue; Dihydropyridine (Haase, H. (207) 51)

[^{3}H]QNB binding
U-50,488H; PI turnover; Carbachol; G-protein; Hippocampus (Periyasamy, S. (207) 101)

Quisqualate
Intrasynaptosomal free Ca^{2+}; Carbachol; IP_3-sensitive Ca^{2+} stores; L-type Ca^{2+} channels (Xiang, J.-Z. (207) 93)

Coated vesicles; Glutamate receptors; Guanine nucleotide regulatory protein; Metabotropic receptors (Martín, M. (207) 215)

Radioligand binding
5-HT_{1A} receptors; α_2-Adrenoceptors; Frontal cortex (human); [^{3}H]Rauwolscine (De Vos, H. (207) 1)

$GABA_A$ receptor subtypes; Photoaffinity labeling; Autoradiography (Bureau, M.H. (207) 9)

[^{3}H]Rauwolscine
5-HT_{1A} receptors; α_2-Adrenoceptors; Frontal cortex (human); Radioligand binding (De Vos, H. (207) 1)

κ Receptor
Opiate receptor; U69,593; Ethylketocyclazocine; Enkephalin (Kinouchi, K. (207) 135)

Receptor up-regulation
Dopamine D_2 receptor mRNA; Neuroleptics; (Rat) (Rogue, P. (207) 165)

Reserpine
Actin; Photoaffinity labelling (Ohmi, K. (207) 305)

mRNA
5-HT_2 receptor; Gene expression (Roth, B.L. (207) 169)

Adrenal medulla; Muscarinic receptors; (Bovine); (Rat) (Fernando, J.C.R. (207) 297)

mRNA (brain)
Bifemelane; Indeloxazine; Vinpocetine; NMDA receptor; Oocytes (*Xenopus*); MK-801 binding (Kaneko, S. (207) 119)

RS86
cGMP; Phosphoinositides; Brain; Pirenzepine; AF-DX 116; 4-Diphenylacetoxy-N-methyl piperidine methiodide; Carbachol; Arecaidine-propargyl ester (Tonnaer, J.A.D.M. (207) 183)

Septum
Dopamine D_2 receptors; ACTH-(1-24); [^{3}H]N-propylnorapomorphine binding; [^{3}H]Spiperone binding; Striatum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

Signal amplification
Bradykinin receptor; G protein; GTP[S] binding; Myometrium; (Rat) (Liebmann, C. (207) 67)

Smooth muscle (airway)
Muscarinic receptors; Phosphoinositide metabolism (Offer, G.J. (207) 243)

Smooth muscle (vascular, human)
Angiotensin receptors; Guanine nucleotide binding proteins; Adrenals; Uterus (human); Cerebellum (bovine) (Bottari, S.P. (207) 157)

Sodium permeability
Frog skin; Trimethoprim (Fonseca, P.D. (207) 337)

[^{3}H]Spiperone binding
Dopamine D_2 receptors; ACTH-(1-24); [^{3}H]N-propylnorapomorphine binding; Striatum; Septum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

Striatal neurons (mouse)
Glutamate; Inositol phosphate formation; Fura-2 measurements (Manzoni, O.J.J. (207) 231)

Striatum
Dopamine D_2 receptors; ACTH-(1-24); [^{3}H]N-propylnorapomorphine binding; [^{3}H]Spiperone binding; Septum; Pituitary gland; (Rats) (Florijn, W.J. (207) 43)

Substance P
Heparin (binding studies); Tachykinin; NK_1 receptors (Knaus, G.A. (207) 267)

Parotid acinar cells; Diacylglycerol formation; Phosphatidylinositide hydrolysis; Phosphatidylcholine hydrolysis (Komabayashi, T. (207) 329)

Sulfonylurea
Glibenclamide binding site; Glyburide; Guanine nucleotide; Cardiac; Insulinoma; ATP-modulated K^+ channel (French, J.F. (207) 23)

Synapse
Antidepressants; Lithium chloride; 5-HT (5-hydroxytryptamine, serotonin); Adenylate cyclase; Hippocampus; (Rat) (Newman, M.E. (207) 209)

Synaptic vesicles
Glycine; GABA; Vesicular uptake (Christensen, H. (207) 73)

Tachykinin
Substance P; Heparin (binding studies); NK_1 receptors (Knaus, G.A. (207) 267)

Thyrotropin releasing hormone
[$Asu^{1,7}$]Eel-calcitonin; Phosphoinositides; Pituitary (Sortino, M.A. (207) 345)

Transforming growth factor-α
Epidermal growth factor-urogastrone; U57,908; Gastric longitudinal muscle (guinea pig); Gastric circular muscle (guinea pig) (Yang, S.-G. (207) 225)

Tricyclic antidepressants
G proteins; Enzyme-linked immunosorbent assay; Clorgyline (Lesch, K.P. (207) 361)

Trimethoprim
Frog skin; Sodium permeability (Fonseca, P.D. (207) 337)

U-50,488H
PI turnover; Carbachol; G-protein; [^{3}H]QNB binding; Hippocampus (Periyasamy, S. (207) 101)

U57,908
Epidermal growth factor-urogastrone; Transforming growth factor-α; Gastric longitudinal muscle (guinea pig); Gastric circular muscle (guinea pig) (Yang, S.-G. (207) 225)

U69,593
Opiate receptor; Ethylketocyclazocine; κ Receptor; Enkephalin (Kinouchi, K. (207) 135)

Uterus (human)
Angiotensin receptors; Guanine nucleotide binding proteins; Adrenals; Cerebellum (bovine); Smooth muscle (vascular, human) (Bottari, S.P. (207) 157)

Vasoconstriction
Muscarinic receptor subtypes; Muscarinic receptor antagonists; Muscarinic M_1 receptor; Cerebral blood vessels (cat) (Dauphin, F. (207) 319)

Vesicular uptake
Synaptic vesicles; Glycine; GABA (Christensen, H. (207) 73)

Vinpocetine
Bifemelane; Indeloxazine; NMDA receptor; Oocytes (*Xenopus*); mRNA (brain); MK-801 binding (Kaneko, S. (207) 119)

Y_2 binding protein
Neuropeptide Y (NPY); Benextramine; Affinity labeling; Hippocampus (bovine) (Li, W. (207) 89)